



The Open  
University

# From permutations to graphs well-quasi-ordering and infinite antichains

Robert Brignall

Joint work with Atminas, Korpelainen, Lozin and Vatter

28th November 2014

---

**EPSRC**

---

Engineering and Physical Sciences  
Research Council

# Orderings on Structures

---

- Pick your favourite **family of combinatorial structures**.  
E.g. graphs, permutations, tournaments, posets, ...

# Orderings on Structures

---


- Pick your favourite **family of combinatorial structures**.  
E.g. graphs, permutations, tournaments, posets, ...
- Give your family an **ordering**.  
E.g. graph minor, induced subgraph, permutation containment,  
...

# Orderings on Structures

- Pick your favourite **family of combinatorial structures**.  
E.g. graphs, permutations, tournaments, posets, ...
- Give your family an **ordering**.  
E.g. graph minor, induced subgraph, permutation containment,  
...
- Does your ordering contain **infinite antichains**?  
i.e. an infinite set of pairwise incomparable elements.

## Example ((Induced) subgraph antichains)

Cycles:



“Split end” graphs:



## No infinite antichains = well-quasi-ordered.

- **Words** over a finite alphabet with subword ordering [Higman, 1952].
- **Trees** ordered by topological minors [Kruskal 1960; Nash-Williams, 1963]
- Graphs closed under **minors** [Robertson and Seymour, 1983—2004].

## Infinite antichains.

- Graphs closed under **induced subgraphs** (or merely subgraphs).
- Permutations closed under **containment**.
- Tournaments, digraphs, posets, . . . with their natural **induced substructure** ordering.

## Algorithms inside well-quasi-ordered sets

- Polynomial-time recognition: is one graph a minor of another?
- Fixed-parameter tractability: e.g. graphs with vertex cover at most  $k$  can be recognised in polynomial time.

## Miscellany

- Well-quasi-order = nice structure. Useful for other problems (e.g. enumeration)
- Connections with logic: Kruskal's Tree Theorem is unprovable in Peano arithmetic [Friedman, 2002]
- Antichains are pretty! (See later)
- It is fun [Kříž and Thomas, 1990]
- *Because it's there.* [Mallory]

- Quasi order: reflexive transitive relation.
- Partial order: quasi order + asymmetric.

## Definition

Let  $(S, \leq)$  be a quasi-ordered (or partially-ordered) set. Then  $S$  is said to be **well quasi ordered** (wqo) under  $\leq$  if it

- is well-founded (no infinite descending chain), and
  - contains no infinite antichain (set of pairwise incomparable elements).
- 
- Well founded: usually trivial for finite combinatorial objects. This is all about the antichains.

- Don't panic! Maybe you could restrict to a subcollection?

## Example: Cographs as induced subgraphs

Cographs = graphs containing no induced  $P_4$   
= closure of  $K_1$  under complementation and disjoint union.

- Cographs are well-quasi-ordered. [Damaschke, 1990]
- Learn to stop worrying and love the antichains! [sorry, Kubrick]



## Question

*In your favourite ordering, which downsets contain infinite antichains?*

- Downset (or **hereditary property**, or **class**): set  $\mathcal{C}$  of objects such that

$$G \in \mathcal{C} \text{ and } H \leq G \text{ implies } H \in \mathcal{C}.$$

## Examples

- Triangle-free graphs: downset under (induced) subgraphs. Not wqo.
- Cographs: downset under induced subgraphs. Wqo.
- Planar graphs: downset under graph minor. Wqo.
- Words over  $\{0, 1\}$  with no '00' factor: downset under factor order. Not wqo: 010, 0110, 01110, 011110, ...

- Downsets often defined by the **minimal forbidden elements**.

## Examples

- Triangle-free graphs:  $K_3$  free as (induced) subgraph.
  - Cographs:  $\text{Free}(P_4)$ .
  - Planar graphs:  $\{K_5, K_{3,3}\}$ -minor free graphs [Wagner's Theorem]
  - Pattern-avoiding permutations:  $\text{Av}(321)$  (see later).
- 
- Confusingly, the set of minimal forbidden elements is an antichain!
  - Graph Minor Theorem  $\Rightarrow$  every minor-closed class has finitely many forbidden elements.

## Question

*In your favourite ordering, which downsets contain infinite antichains?*

## Known decision procedures

- **Graph minors**: no antichains anywhere!
- **Subgraph order**: a downset is wqo if and only if it contains neither  $\triangle$   $\square$   $\diamond$   $\hexagon$   $\dots$  nor  $\succleftarrow$   $\succleftarrow\leftarrow$   $\succleftarrow\leftarrow\leftarrow$   $\dots$  [Ding, 1992]
- **Factor order**: downsets of words over a finite alphabet [Atminas, Lozin & Moshkov, 2013]

## Theorem (Cherlin & Latka, 2000)

*Any downset with  $k$  minimal forbidden elements is wqo iff it doesn't contain any of the infinite antichains in a finite collection  $\Lambda_k$ .*

# Plan for the rest of today



## Ordering of the day

Induced subgraph ordering,  $H \leq_{\text{ind}} G$ .

## Question

*For which  $m, n$  is the following true?*

*The set of permutation graphs with no induced  $P_m$  or  $K_n$  is wqo.*


We'll:

- Build some antichains;
- Find structure to prove wqo.


## Motivation?

- The 'right' level of difficulty: Interestingly complex, but tractable.
- Demonstration of some recently-developed structural theory.
- Expansion of the graph  $\longleftrightarrow$  permutation interplay.


# Forbidding paths and cliques




- = Graphs wqo
- ◐ = Permutation graphs wqo, graphs not wqo
- = Permutation graphs not wqo



These classes are trivially wqo.




Cographs are wqo [Damaschke, 1990]




$P_6, K_3$ -free graphs are wqo [Atminas and Lozin, 2014]






$P_5, K_4$ -free graphs are not wqo [Korpelainen and Lozin, 2011]




$P_7, K_3$ -free graphs are not wqo [Korpelainen and Lozin, 2011b]


# Forbidding paths and cliques




- = Graphs wqo
- ◐ = Permutation graphs wqo, graphs not wqo
- = Permutation graphs not wqo



- Permutation  $\pi = \pi(1) \cdots \pi(n)$
- Make a graph  $G_\pi$ : for  $i < j$ ,  $ij \in E(G_\pi)$  iff  $\pi(i) > \pi(j)$ .
- Note:  $n \cdots 21$  becomes  $K_n$ .




- Permutation  $\pi = \pi(1) \cdots \pi(n)$
- Make a graph  $G_\pi$ : for  $i < j$ ,  $ij \in E(G_\pi)$  iff  $\pi(i) > \pi(j)$ .
- Note:  $n \cdots 21$  becomes  $K_n$ .



- Permutation graph = can be made from a permutation  
= comparability  $\cap$  co-comparability  
= comparability graphs of dimension 2 posets
- Lots of polynomial time algorithms here (e.g. MAXCLIQUE, TREEWIDTH)

# Ordering permutations: containment


## Example



- **Pattern containment:** a partial order,  $\sigma \leq \pi$ .

# Ordering permutations: containment

## Example




- **Pattern containment:** a partial order,  $\sigma \leq \pi$ .
- Draw the graphs:  $G_\sigma \leq_{\text{ind}} G_\pi$ .



# Ordering permutations: containment

## Example



- **Pattern containment:** a partial order,  $\sigma \leq \pi$ .
- Draw the graphs:  $G_\sigma \leq_{\text{ind}} G_\pi$ .
- **Permutation class:** downset in this ordering:

$$\pi \in \mathcal{C} \text{ and } \sigma \leq \pi \text{ implies } \sigma \in \mathcal{C}.$$

- **Avoidance:** minimal forbidden permutation characterisation:

$$\mathcal{C} = \text{Av}(B) = \{\pi : \beta \not\leq \pi \text{ for all } \beta \in B\}.$$

$$\sigma \leq \pi \implies G_\sigma \leq_{\text{ind}} G_\pi$$

This means

$\text{Av}(B)$  is wqo  $\implies \{G_\beta : \beta \in B\}$ -free permutation graphs are wqo.

Conversely, the perm  $\rightarrow$  graph mapping is not injective:

$P_4$  in two ways



Open Problem

$\text{Av}(B)$  is wqo  $\stackrel{?}{\iff} \{G_\beta : \beta \in B\}$ -free permutation graphs are wqo.

# How to convert antichains



- For a graph  $G$ , define

$$\Pi(G) = \{\text{permutations } \pi : G_\pi \cong G\}.$$

e.g.  $\Pi(P_4) = \{2413, 3142\}$ , and  $\Pi(K_5) = \{54321\}$ .

- Given a permutation antichain

$$A = \{\alpha_1, \alpha_2, \dots\},$$

want each  $\Pi(G_{\alpha_i})$ , to contain as few permutations as possible.

## Fact


$$G_{\alpha_i} \not\leq G_{\alpha_j} \text{ iff } \sigma \not\leq \alpha_j \text{ for all } \sigma \in \Pi(G_{\alpha_i}).$$

- So for each  $\sigma \in \Pi(G_{\alpha_i})$ , it suffices to find  $\tau \leq \sigma$  such that  $\tau \not\leq \alpha_j$  for every  $j$ .



# A $P_7, K_5$ -free antichain

An antichain in  $\text{Av}(54321, 2416375, 3152746)$  [Murphy, 2003]




For every  $\pi$  in the above antichain:


- $|\Pi(G_\pi)| = 4$ , and we know what they are.
- $\pi^{-1} \in \Pi(G_\pi)$  contains 51423, but  $\pi$  does not.
- Other permutations in  $\Pi(G_\pi)$  can be handled similarly.


# The other two antichains

## $P_6, K_6$ -free permutation graphs [B., 2012]




## $P_7, K_4$ -free permutation graphs [Murphy & Vatter, 2003]





- **Known:**  $P_m$ ,  $K_3$ -free permutation graphs are wqo [Lozin and Mayhill, 2011]




- **Known:**  $P_m, K_3$ -free permutation graphs are wqo [Lozin and Mayhill, 2011]
- **Todo:**  $P_5, K_n$ -free permutation graphs are wqo, for all  $n$ .



- $P_5$ ,  $K_{126923785921975}$ -free permutation graphs are wqo, but  $P_5$ -free permutation graphs are **not** wqo.

Here's an antichain element



- This antichain needs arbitrarily large cliques.

## Theorem

*The class of permutations  $\text{Av}(n \cdots 21, 24153, 31524)$  is wqo.*

- $G_{n \cdots 21} \cong K_n$
- $G_{24153} \cong G_{31524} \cong P_5$  (and these are the only two permutations).
- So  $\text{Av}(n \cdots 21, 24153, 31524)$  corresponds to  $P_5, K_n$ -free permutation graphs.

## Corollary


*The class of  $P_5, K_n$ -free permutation graphs is wqo.*

# Proving the theorem – Step 1

## Proposition

The *simple permutations* of  $Av(n \cdots 21, 24153, 31524)$  are *griddable*.

- Simple permutations are ‘building blocks’ (c.f. prime graphs)
- Griddable = can draw on a picture like this:



## Proof

- Induction on  $n$ .
- Key step: in graph terms, limit the size of the largest matching in a prime graph

# What's gridding good for?

Theorem (Albert, Ruškuc, Vatter, 2014)

If the *simple permutations* in a class are *geometrically griddable*, then the class is *wqo*.

'Geometrically griddable' is stricter than 'griddable'

$\text{GGrid} \left( \begin{array}{|c|c|} \hline \diagup & \diagdown \\ \hline \diagdown & \diagup \\ \hline \end{array} \right) \rightarrow P_4\text{-free split permutation graphs}$

is a subclass of:

$\text{Grid} \left( \begin{array}{|c|c|} \hline \diagup & \diagdown \\ \hline \diagdown & \diagup \\ \hline \end{array} \right) \rightarrow \text{split permutation graphs}$


- Aim: take gridding from Step 1 and refine to a geometric one

## Step 2 – refine the gridding

### Proposition

The *simple permutations* of  $Av(n \cdots 21, 24153, 31524)$  are griddable without NW corners.

### NW corners and cycles




- NW corner = configuration shown in red

## Step 2 – refine the gridding

### Proposition


The *simple permutations* of  $Av(n \cdots 21, 24153, 31524)$  are griddable without NW corners.

### NW corners and cycles



- NW corner = configuration shown in red
- Cycle = closed dotted line
- No NW corners  $\Rightarrow$  no cycles!
- No cycles  $\Rightarrow$  gridding is geometric  $\Rightarrow$  class is wqo

# The question marks



- **Three classes remain:**  $\{P_6, K_5\}$ ,  $\{P_6, K_4\}$  and  $\{P_7, K_4\}$ .
- Not griddable (in the sense used here)
- None of our antichain construction tricks work

Thanks!

Main reference:

Atminas, B., Korpelainen, Lozin & Vatter, *Well-quasi-order for permutation graphs omitting a path and a clique*, arXiv 1312:5907